

In the Claims

Please cancel Claims 1-14 before calculating the filing fee in the above-styled patent application. Please keep Claims 15 - 18 pending and also add the following claims:

[Remainder of This Page Is Intentionally Being Left Blank]

Claims 1 -14 (Cancelled).

15. (Original) A method for generating a network diagram with nodes at different magnification levels comprising the steps of:

- displaying one or more nodes of a network diagram;
- determining whether a mouse pointer is positioned in a predefined region containing a node;
- determining whether node data is visible to a user;
- in response to a mouse pointer intersecting the predefined region, displaying one or more of the nodes at a different magnification level relative to other nodes in a network diagram; and
- in response to a mouse pointer leaving the predefined region, displaying the one or more nodes at a magnification level that is substantially the same for nodes within the network diagram that are not traversed by the mouse pointer .

16. (Original) The method of claim 15, wherein the step of determining whether node data is visible to a user further comprises the step of determining if a zoom factor is less than a predetermined threshold.

17. (Original) The method of claim 15, wherein the step of determining whether node data is visible to a user further comprises the step of determining if a predetermined layout has been selected for a network diagram.

18. (Original) The method of claim 15, wherein the step of displaying one or more nodes at a different magnification level relative to other nodes in a network diagram further comprises the step of displaying the one or more nodes at an increased magnification level relative to the other nodes within the network diagram.

19. (New) The method of Claim 15, further comprising determining whether a magnified node has been displayed for a predetermined length of time.

20. (New) The method of Claim 17, wherein the predetermined layout comprises an ID only display mode.
21. (New) The method of Claim 15, wherein the predefined region comprises a drawing area containing a plurality of nodes.
22. (New) The method of Claim 15, wherein determining whether node data is visible to a user further comprises determining whether the network diagram is being scaled for display.
23. (New) The method of Claim 15, further comprising determining whether the mouse pointer has been positioned in the predefined region containing the node for a predetermined period of time.

[Remainder of This Page Is Intentionally Being Left Blank]

24. (New) A computer graphics system for customizing nodes of a network diagram comprising:
a computer-readable medium; and
a computer-program encoded in the computer-readable medium,
the computer program further comprising:
means for determining whether a mouse pointer is positioned over a node within the
network diagram; and
means for enlarging the node in which the mouse pointer is positioned.
25. (New) The computer graphics system of Claim 24, wherein the computer-program
comprises means for determining if a mouse pointer is positioned over a node for predetermined
amount of time.
26. (New) The computer graphics system of Claim 24, wherein the computer-program
comprises means for determining if the network diagram is being scaled for display so that the entire
network diagram is displayed on a display drawing.
27. (New) The computer graphics system of Claim 24, wherein the computer program comprises
means for determining if a magnified node has been displayed for a predetermined period of time.

[Remainder of This Page Is Intentionally Being Left Blank]

28. (New) A computer graphics program for generating a plurality of nodes in a network diagram and operable to:
- monitoring a position of a screen pointer;
 - determining if the screen pointer is within a predetermined distance of a node; and
 - if the screen pointer is within the predetermined distance of the node, enlarging the node relative to other nodes in the network diagram.
29. (New) The computer graphics program of Claim 28, further operable to determining if a magnified node has been displayed for a threshold period of time.
30. (New) The computer graphics program of Claim 28, further operable to determining if a screen pointer is inside a boundary region defined by a node.
31. (New) The computer graphics program of Claim 28, further operable to determining if the network diagram is being displayed at a scale below a threshold that permits node enlargement.
32. (New) The computer graphics program of Claim 28, further operable to permitting enlargement of node only if the network diagram is being scaled for display.
33. (New) The computer graphics program of Claim 28, further operable to displaying a node at a standard size relative to other nodes displayed at a size smaller than the standard size.
34. (New) The computer graphics program of Claim 28, wherein monitoring a position of a screen pointer further comprises monitoring a position of a screen pointer that is moveable with a mouse.

[Remainder of This Page Is Intentionally Being Left Blank]